



## ACS Material Equipment Series

# HelioVolt™ Joule Heating System HVJH-2026A

**Contact Information:**

ACS Material, LLC

Address: 959 E Walnut St., Suite 100

Pasadena, CA 91106, USA

Phone: (866)-227-0656

Fax: (781)-518-0284

E-Mail: [contact@acsmaterial.com](mailto:contact@acsmaterial.com)

Revision: 032326

## Product Overview



Fig. 1 - Image of the HelioVolt™ Joule Heating System HVJH-2026A

## Product Specifications

<b>HelioVolt™ Joule Heating System</b>	
<b>Model</b>	HVJH-2026A
<b>AC Voltage</b>	220V/110V
<b>AC Power</b>	3500W
<b>Capacity</b>	90mF
<b>Max. Voltage of Capacity</b>	0~300V
<b>Max. Current of Capacity</b>	0~600A
<b>DC Power</b>	3000W(36Vx83A)
<b>Temperature</b>	400~3600 °C
<b>Min. Discharge Time</b>	0.1s
<b>Weight</b>	110kg
<b>Overall Shipping Size W*D*H (mm)</b>	800x400x1500
<b>Electrical Box Size W*D*H (mm)</b>	800x400x900
<b>Inside Vacuum Box Size W*D*H (mm)</b>	300x300x150
<b>Vacuum Pump Power</b>	1500W
<b>Vacuum Pump Voltage</b>	220V
<b>Pumping Speed</b>	150L/min
<b>Computer</b>	Windows Operate System

**Disclaimer:** ACS Material, LLC believes that the information in this Technical Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.